Date Mailed:	₹
Jate Malleu.	

FORM PTO-1449

(Rev. 2-32)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

P-8044.02

ATTY. DOCKET NO.:

SERIAL NO:

10/007,538

INFORMATION DISCLOSURE STATEMENT

BY APPLICANT

(Use several sheets if necessary)

APPLICANT:

David L. Thompson

FILING DATE:

GROUP:

November 9, 2001

3762

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE ISSUED	INVENTOR NAME	U.S. CLASS	U.S. SUB- CLASS	FILING DATE IF APPROPRIATE	
m	AA	6,262,637	07/17/01	Bradley et al.	333	133		
1	AB	6,215,375	04/10/01	Larson, III et al.	333	187		
	AC	6,198,208	03/06/01	Yano et al.	310	358		
	AD	5,345,362	09/06/94	Winkler	361	681		
	AE	5,271,395	12/21/1993	Wahlstrand et al.	607	9		
	AF	5,127,404	07/07/92	Wyborny et al.	128	419 P		,
	AG	5,052,388	10/01/1991	Sivula et al.	128	419 PG		
	AH	4,676,248	06/30/87	Berntson	128	419 PG		1 A
	Αl	4,601,291	07/22/1986	Boute et al.	128	419 PT	RECEIV	ED
	AJ	4,571,589	02/18/86	Slocum et al.	340	870.32	OCT 3 9 20	02
	AK	4,556,063	12/03/85	Thompson et al.	128	419 PT		
	AL	4,550,732	11/05/85	Batty, Jr. et al.	128	419 PG	TECHNOLOGY CENT	ER R370
	AM	4,539,992	09/10/85	Calfee et al.	128	419 PG		
	AN	4,520,825	06/04/1985	Thompson et al.	128	422		
	AO	4,476,868	10/16/84	Thompson	128	419 PG		
	AP	4,401,120	08/30/1983	Hartlaub et al.	128	419 PT		
	AQ	4,374,382	02/15/1983	Markowitz	340	870.01		
	AR	4,357,943	11/09/82	Thompson et al.	128	419 PG		
	AS	4,273,133	06/16/1981	Hartlaub et al.	128	419 PG		
	АТ	4,2,73,132	06/16/1981	Hartlaub et al.	128	419 PT		
	AU	4,253,466	03/03/1981	Hartlaub et al.	128	419 PG		
	AV	4,250,884	02/17/1981	Hartlaub et al.	128	419 PT		

EXAMINER

DATE CONSIDERED 2

EXAMINER:

Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

A:1449.FRM 5-92

Page 2 of 2

Date Mailed:

	13 "	w/						
را ا	No.	4,236,524 402MAX 233,985	12/02/19	980 Po	owell et al.	128	419 PT	
1	AX	4,233,985	11/18/8	30 Ha	artlaub et al.	128	419 PG	
	AY	4,223,679	09/23/19	980 Sc	chulman et al.	128	419 PT	
	ВА	4,211,235	07/08/8	30 Ke	eller, Jr. et al.	128	419 PG	
	ВВ	4,208,008	06/17/19	980 Sr	mith	371	15	
	вс	4,066,086	01/03/19	978 Al	ferness et al.	128	421	
	BD	3,805,796	04/23/19	974 Te	erry, Jr. et al.	128	419 P	
	BE	3,738,369	06/12/19	973 Ad	dams et al.	128	419 P	
	BF	3,631,860	01/04/19	972 Lc	ppin	128	419 P	RECEIVED
	BG	3,623,486	11/30/19	971 Be	erkovits	128	419 P	OCT 3 0 2002
	вн	3,518,997	07/07/19	970 Se	essions	128	422	
7	ВІ	3,311,111	03/28/6	67 Bo	owers	128	422	CHNOLOGY CENTER R3
REIGN PA	TENT DO	CUMENTS						
		OCUMENT UMBER		DATE PUBLIC- ATION	COUNTRY	INT. CLASS	INT. SUB- CLASS	TRANSLATION

DOCUMENT NUMBER	DATE PUBLIC- ATION	COUNTRY	INT. CLASS	INT. SUB- CLASS	TRANSLATION	
					YES	NO

OTHER DOCUMENTS (Including Author, Title, Date Pertinent Pages, Etc.)

~	BJ	Electronic News Online, "Agilent Develops FBAR Duplexer for Samsung's CDMA Wrist Phone," wysiwyg://1/http://www.electronicnews.com/enews/news/6285-44NewsDetail.asp (February 15, 2001)
	вк	Chamaly, S. et al., Abstract, "Electrical Matching of Surface Acoustic Wave Filters," Thomson Microsonics, Sophia Antipolis, France, p. 496
	BL	Enderlein, J. et al., "Two-Channel SAW Sensor Signal-Transmission System," <u>Sensors and Actuators</u> , A61, p. 309-312 (1997)
	вм	Hill et al., "Accurate Measurement of Low Signal-to-Noise Ratios Using a Superheterodyne Spectrum Analyzer," IEEE Transactions on Instrumentation and Measurement, Vol. 39, No. 2, p. 432-435 (April 1990)
	BN	Lafferty, E. et al., "Circuit Noise Considerations and Measurements in Communication Systems," International Conference on Communications, Minneapolis, Minnesota, General Electric Company, Lynchburg, Virginia, p. 14E-1 – 14E-5 (1974)
	во	Nguyen, C., "High-Q Micromechanical Oscillators and Filters for Communications," IEEE International Symposium , Circuits and Systems, University of Michigan, Ann Arbor, Michigan, p. 2825-2828 (June 9-12, 1997)
V	ВР	Vistica, R., "Macros Simplify RF Measurements," R.F. Design, Vol. 9, No. 7, p. 49-53 (July 1986)

EXAMINER Joseph Smally-

DATE CONSIDERED 3/20/04

EXAMINER:

Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

OCT 3 0 2002

TECHNOLOGY CENTER R3700

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

tion of: David L. Thompson

IMPLANTED MEDICAL DEVICE TELEMETRY USING INTEGRATED THIN FILM BULK ACOUSTIC

RESONATOR FILTERING

Serial No.:

10/007,538

Filed:

November 9, 2001

CERTIFICATE OF MAILING UNDER 37 CFR 1.8: I hereby certify that this INFORMATION DISCLOSURE STATEMENT and the paper(s), as described herein, are being deposited in the U.S. Postal Service, as first class mail, addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231 on this day of October, 2002.

Signature

Karen Hoffman Printed Name

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Sir:

We are transmitting herewith the attached:

Information Disclosure Statement

PTO FORM 1449

Copies cited references

Return Postcard

FEE CALCULATION

		1.97(b) (before mailing of first Office Action)
	□ \$ 00.00 Pursuant to 37 CFR §	1.97(c) with Certification (cited in foreign application not more than 3 months
	earlier)	
	□ \$ 00.00 Pursuant to 37 CFR §	1.97(e) with Certification
•	\$180.00 Pursuant to 37 CFR §	1.97(c) without Certification
	☐ \$180.00 Pursuant to 37 CFR §	1.97(d) with Certification
	Applicant hereby petitions for a	months' extension of time. If an additional extension of time is required,

 \boxtimes Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need

for an extension of time.

please consider this petition therefor.

Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked \boxtimes with regard to this filing. A duplicate of this transmittal is enclosed.

Girma Wolde-Michael

Reg. No. 36,724

Telephone: (763) 514-6402

Whichel

